

BIBLIOGRAFÍA y recomendaciones de lectura sobre patofisiología de RCTG y tipos de hipoxia

1. Chandraharan E, Arulkumaran S. Prevention of birth asphyxia: responding appropriately to cardiotocograph (CTG) traces. *Best Pract Res Clin Obstet Gynaecol* 2007; 21(4): 609-24.
2. Nurani R, Chandraharan E, Lowe V, Ugwumadu A, Arulkumaran S. Misidentification of maternal heart rate as fetal on cardiotocography during the second stage of labor: the role of the fetal electrocardiograph. *Acta Obstet Gynecol Scand* 2012; 91(12):1428-32.
3. Horvath b, Grasselly M, Bodecs T, Boncz I, Bodis J. Histological chorioamnionitis is associated with cerebral palsy in preterm neonates. *Eur J Obstet Gynecol Reprod Biol* 2012; 163(2): 160-4.
4. Alfirovic Z, Devane D, Gyte GM. Continuous tocography (CTG) as a form of electronic fetal monitoring (EFM) for fetal assessment during labor. *Cochrane Database Syst Rev* 2013; 5: CD006066.
5. Khangura T, Chandraharan E. Electronic fetal heart rate monitoring: the future. *Curr Wom Health Rev* 2013;9:169e74.
6. Chandraharan E, Arulkumaran S. Electronic fetal heart rate monitoring in current and future practice. *J Obstet Gynecol* 2008;58 (2):121e30.
7. Chandraharan E, Lowe V, Arulkumaran S. Pathological Decelerations on CTG: time for FPS or FBS? *Int J Obstet Gynecol* 119S3 2012:S309.
8. Parer JT, Ugwumadu A. Impediments to a unified international approach to the interpretation and management of intrapartum cardiotocographs. *J Matern Fetal Neonatal Med*. 2016 Apr 5:1-7.
9. Yanamandra N, Chandraharan E. Saltatory and sinusoidal fetal heart rate (FHR) patterns and significance of FHR 'overshoots'. *Curr Wom Health Rev* 2013;9(4):1e8.
10. Ugwumadu A. Are we (mis)guided by current guidelines on intrapartum fetal heart rate monitoring? Case for a more physiological approach to interpretation. *BJOG*. 2014 Aug;121(9):1063-70.
11. Ugwumadu A. Understanding cardiotocographic patterns associated with intrapartum fetal hypoxia and neurologic injury. *Best Pract Res Clin Obstet Gynaecol*. 2013 Aug;27(4):509-36.
12. Pinas A, Chandraharan E. Continuous cardiotocography during labour: Analysis, classification and management. *Best Pract Res Clin Obstet Gynaecol*. 2016 Jan;30:33-47.
13. Pereira S, Chandraharan E. Recognition of chronic hypoxia and pre-existing foetal injury on the cardiotocograph (CTG): Urgent need to think beyond the guidelines. *Porto Biomed. J*. 2017.

Muestra de pH de calota fetal (FBS) y ECG fetal (STAN)

Evidencia general de FBS (pH de calota fetal)

Chandrahara E. Fetal scalp blood sampling during labour: is it a useful diagnostic test or a historical test that no longer has a place in modern clinical obstetrics? BJOG 2014; 121(9):1056-1062.

FBS / Lactate

1. Beard RW, Filshie GM, Knight CA, Roberts GM. The significance of the changes in the continuous fetal heart rate in the first stage of labour. J Obstet Gynecol Br Cwlth 1971;78:865–81.

2 Nelson KB, Dambrosia JM, Ting TY, Grether JK. Uncertain value of electronic fetal monitoring in predicting cerebral palsy. N Engl J Med 1996;334:613–8.

3 Clark SL, Hankins GD. Temporal and demographic trends in cerebral palsy—fact and fiction. Am J Obstet Gynecol 2003;188:628–33.

4 National Institute of Clinical Excellence. Intrapartum care: care of healthy women and their babies during labour. NICE Clinical Guideline No. 55. London: NICE; September 2007.

5 Alfirevic Z, Devane D, Gyte GML. Continuous cardiotocography (CTG) as a form of electronic fetal monitoring (EFM) for fetal assessment during labour. Cochrane Database Syst Rev 2006:CD006066 . 6 Saling E. Amnioscopy and fetal blood sampling: observations on foetal acidosis. Arch Dis Child 1966;41:472–6.

7 Beard RW. The effect of fetal blood sampling on caesarean section for fetal distress. J Obstet Gynaecol Br Cwlth 1968;75:1291–5.

8 Helwig JT, Parer JT, Kilpatrick SJ, Laros RK Jr. Umbilical cord blood acid-base state: what is normal? Am J Obstet Gynecol 1996;174:1807–12. 9 East CE, Begg L, Colditz PB. Fetal pulse oximetry for fetal assessment in labour. Cochrane Database Syst Rev 2007:CD004075.

10 East CE, Leader LR, Sheehan P, Henshall NE, Colditz PB. Intrapartum fetal scalp lactate sampling for fetal assessment in the presence of a non-reassuring fetal heart rate trace. Cochrane Database Syst Rev 2010: CD006174

11 Odendaal H. Factors influencing the pH value of foetal scalp blood with special reference to caput succedaneum. S Afr Med J 1974;48:59–62.

12 Carbonne B, Cudeville C, Maillard F, Goffinet F. French Study Group on Fetal Pulse Oximetry. Predictive value of pulse oximetry and fetal scalp blood pH in the case of meconium-stained amniotic fluid. Eur J Obstet Gynecol Reprod Biol 2003;109:27–32.

19 Schaap TP, Moormann KA, Becker JH, Westerhuis ME, Evers A, Brouwers HA, et al. Cerebrospinal fluid leakage, an uncommon complication of fetal blood sampling: a case report and review of the literature. Obstet Gynecol Surv 2011;66:42–6. 20. East CE, Leader LR, Sheehan P, Henshall NE, Colditz PB. Intrapartum fetal scalp lactate sampling for fetal assessment in the presence of a non-reassuring

fetal heart rate trace. Cochrane Database Syst Rev. 2010:CD006174

21. Chandrharan E. Should national guidelines continue to recommend fetal scalp blood sampling during labor? *J Matern Fetal Neonatal Med.* 2016 Feb 24:1-4.

Fetal ECG (STAN)

Estudios observacionales

1. Chandrharan E, Preti M, Lowe V, Archer A, Ugwumadu A, Arulkumaran S. Effectiveness of “George’s Intrapartum Monitoring Strategy” on Operative delivery and perinatal outcomes at a teaching hospital in London: a 5 year experience. 18th World Congress on Controversies in Obstetrics, Gynecology and Infertility. Vienna. October 2013. 2. Vayssiere C, Haberstick R, Sebahoun V, David E, Roth E, Langer B. Fetal electrocardiogram ST-segment analysis and prediction of neonatal acidosis. *Int J Gynaecol Obstet.* 2007;97:110–4. 3. Noren H, Blad S, Carlsson A, Flisberg A, Gustavsson A, Lilja H, Wennergren M, Hagberg H. STAN in clinical practice – the outcome of 2 years of regular use in the city of Gothenburg. *Am J Obstet Gynecol.* 2006;195:7–15. 4. Westerhuis ME, van Horen E, Kwee A, van der Tweel I, Visser GH, Moons KG. Inter- and intra-observer agreement of intrapartum ST analysis of the fetal electrocardiogram in women monitored by STAN. *BJOG.* 2009;116:545–51. 5

Revisión sistemática de ensayos clínicos sobre ECG fetal (STAN)

1. Neilson JP. Cochrane Database Syst Rev. 2015 Dec 21;12:CD000116. doi: 10.1002/14651858.CD000116.pub5. Review. 2. Olofsson P, Ayres-de-Campos D, Kessler J, et al. A critical appraisal of the evidence for using cardiotocography plus ECG ST interval analysis for fetal surveillance in labor. Part II: the meta-analyses. *Acta Obstet Gynecol Scand* 2014 Jun;93(6): 571e86. 3. Blix E, Brurberg KG, Reierth E, Reinart LM, Øian P. ST waveform analysis versus cardiotocography alone for intrapartum fetal monitoring: a systematic review and meta-analysis of randomized trials. *Acta Obstet Gynecol Scand.* 2016 Jan;95(1):16- 27.

Comentarios de ECG fetal

1. Turnbull TL, Mol BW, Matthews G, Wilkinson C, Chandrharan E, Kuah S. Does ST analysis have a place in electronic fetal monitoring? *J Matern Fetal Neonatal Med.* 2017 Mar;30(5):520-524.

2. Chandrharan E. Foetal electrocardiograph (ST-analyser or STAN) for intrapartum foetal heart rate monitoring: a friend or a foe? *J Matern Fetal Neonatal Med.* 2017 Jan 23:1-8.

Comentarios en Revisiones sistemáticas

Bhide A, Chandrharan E, Acharya G. Fetal monitoring in labor: Implications of evidence generated by new systematic review. *Acta Obstet Gynecol Scand.* 2016 Jan;95(1):5-8.

Revisión de hypoxia crónica

Pereira S, Chandrharan E. Recognition of chronic hypoxia and pre-existing foetal injury on the cardiotocograph (CTG): Urgent need to think beyond the guidelines. *Porto Biomed. J.* 2017.


<http://dx.doi.org/10.1016/j.pbj.2017.01.004>

Link de artículos sobre RCTG en revisiones actuales de Current Women's Health

<http://benthamscience.com/journal/contents.php?journalID=cwhr&issueID=120085>

Links de otros artículos descargables

1. <http://medcraveonline.com/OGIJ/OGIJ-05-00168.php>
2. <http://www.sciencedomain.org/abstract/8740>



The screenshot shows the Amazon product page for the book "Handbook of CTG Interpretation: From Patterns to Physiology 1st Edition" by Edwin Chandraharan (Editor). The page features the Amazon logo, a search bar, and navigation links. The book cover is displayed on the left, showing a blue background with a CTG trace and a fetal image. The title and author information are clearly visible. On the right, there are pricing options for Kindle (from \$43.98), Paperback (\$51.77), and Other Sellers (from \$43.33). A "Buy new" section indicates that only 9 copies are left in stock. The page also includes a "More Buying Choices" section with 15 new and 5 used options. At the bottom, there is a "Prime student" banner with a "College student?" offer for free shipping and exclusive deals.

amazon Try Prime

Books

Departments

Your Amazon.com Today's Deals Gift Cards & Registry Sell Help

EN Hello, Sign Account

Books Advanced Search New Releases Best Sellers The New York Times® Best Sellers Children's Books Textbooks Textbook Rentals Sell Us Your Book

Books > Medical Books > Medicine

Handbook of CTG Interpretation: From Patterns to Physiology 1st Edition

by Edwin Chandraharan (Editor)

★★★★★ 1 customer review

Look inside

Kindle from \$43.98

Paperback \$51.77

Other Sellers from \$43.33

Buy new

Only 9 left in stock (more on the way).
Ships from and sold by Amazon.com. Gift-wrap available.

This item ships to United Kingdom. [Learn more](#)

More Buying Choices

15 New from \$43.33 | 5 Used from \$53.05

ISBN-13: 978-1107485501
ISBN-10: 1107485509
[Why is ISBN important?](#)

Have one to sell? [Sell on Amazon](#)

Prime student **College student?**
FREE shipping and exclusive deals [Learn more](#)